

## Mesoderm <sup>[1]</sup>

By: MacCord, Kate Keywords: embryos <sup>[2]</sup>

Mesoderm is one of the three [germ layers](#) <sup>[3]</sup>, groups of cells that interact early during the embryonic life of animals and from which organs and tissues form. As organs form, a process called [organogenesis](#) <sup>[4]</sup>, [mesoderm](#) <sup>[5]</sup> interacts with [endoderm](#) <sup>[6]</sup> and [ectoderm](#) <sup>[7]</sup> to give rise to the digestive tract, the heart and skeletal muscles, red blood cells, and the tubules of the kidneys, as well as a type of connective tissue called [mesenchyme](#) <sup>[8]</sup>. All animals that have only one plane of symmetry through the body, called bilateral symmetry, form three [germ layers](#) <sup>[3]</sup>. Animals that have only two [germ layers](#) <sup>[3]</sup> develop open digestive cavities. In contrast, the evolutionary development of the [mesoderm](#) <sup>[5]</sup> allowed in animals the formation of internal organs such as stomachs and intestines (viscera).

Gastrulation is an early stage of development during which an embryo, then a single-layered ball of cells called a [blastula](#) <sup>[9]</sup>, reorganizes itself into a three-layered ball of cells, called a [gastrula](#) <sup>[10]</sup>. During this process, the primary [germ layers](#) <sup>[3]</sup>, [endoderm](#) <sup>[6]</sup> and [ectoderm](#) <sup>[7]</sup>, interact to form the third, called [mesoderm](#) <sup>[5]</sup>. Early in the reorganization process, a group of precursor cells that hold the potential to become either [mesoderm](#) <sup>[5]</sup> or [endoderm](#) <sup>[6]</sup> may form; this tissue is called mesendoderm. Mesendoderm has been found in species from Echinoderms, such as sea urchins, to mice, *Mus musculus* <sup>[11]</sup>. The process that gives rise to the [mesoderm](#) <sup>[5]</sup> also creates a dorso-ventral pattern within the [mesoderm](#) <sup>[5]</sup>. This patterning of the [mesoderm](#) <sup>[5]</sup> organizes cells in specific locations along the dorso-ventral axis, and a cell's location determines what kinds of cell it and its daughter cells can become (cell fate).

Mesoderm, along with the other two [germ layers](#) <sup>[3]</sup>, was discovered in the early nineteenth century. In 1817 Christian Pander received an MD from the [University of Würzburg](#) <sup>[12]</sup>, in Würzburg, Germany, after completing his dissertation. "*Beiträge zur Entwicklungsgeschichte des Hühnchens im Eie*" (*Contributions to the Developmental History of the Chicken in the Egg*) described how two layers of the [chick](#) <sup>[13]</sup> embryo give rise to a third, outlining the process of [gastrulation](#) <sup>[14]</sup> in the [chick](#) <sup>[13]</sup>, *Gallus gallus* <sup>[15]</sup>. Throughout his text, Pander wrote of both the independence and of the interdependence of these layers?while distinguishable, the layers appeared to work together to form organs.

Following Pander's discovery, a series of nineteenth century scientists investigated the formation and derivatives of the [germ layers](#) <sup>[3]</sup>. [Karl Ernst von Baer](#) <sup>[16]</sup>, professor of anatomy at the University of Königsberg, in Königsberg, Prussia, in his 1828 *Über die Entwicklungsgeschichte der Thiere. Beobachtung und Reflexion* (*On the Developmental History of Animals. Observations and Reflections*), extended Pander's concept of the [germ layers](#) <sup>[3]</sup> to apply to all vertebrates. In 1849 natural historian [Thomas Henry Huxley](#) <sup>[17]</sup>, in England, expanded the concept yet again, in his article "On the Anatomy and Affinities of the Family of the Medusae." Through his anatomical investigations of jellyfish, Huxley concluded that the two tissue layers he saw in the adult jellyfish bore the same relation to each other as the layers Pander had described in the [chick](#) <sup>[13]</sup> embryo. When Huxley argued that the body architecture of the adult jellyfish was similar to those of vertebrate embryos, he united the

vertebrate and invertebrate kingdoms and connected the study of growth and development, called [ontogeny](#) [18], with the study of relationships between organisms, called [phylogeny](#) [19]. Huxley's observation that [developmental stages](#) [20] reflected [evolution](#) [21] set a trend, in that scientists began to investigate evolutionary questions by studying embryos. Those methods became foundational for the works of nineteenth century scientists like [Charles Darwin](#) [22], in England, and [Ernst Haeckel](#) [23], in Germany. Huxley employed the term [mesoderm](#) [5] for the middle germ layer in the 1871 edition of his *A Manual of Anatomy of Vertebrated Animals*.

Toward the end of the nineteenth century, interest in [germ layers](#) [3] erupted. As a result of the renewed association of [embryology](#) [24] and [phylogeny](#) [19], some argued that universal relationships of the [germ layers](#) [3] may exist throughout the animal kingdom. Germ Layer theory held that across all animal species, each of the [germ layers](#) [3] gives rise to a fixed set of organs that are homologous between taxa. Scientists like Aleksandr Kovalevsky at the University of St. Petersburg, in St. Petersburg, Russia, and [Ernst Haeckel](#) [23] helped make the Germ Layer theory doctrinal for embryologists beginning in the late 1860s.

Some nineteenth century scientists, like [Edmund Beecher Wilson](#) [25], in the United States, and many scientists in Germany, including [Wilhelm His](#) [26], [Rudolf Albert von Kölliker](#) [27], and Oscar and Richard Hertwig, objected to the Germ Layer theory. These scientists often created their own theories of how the [germ layers](#) [3] develop. For example, brothers Oscar and Richard Hertwig formed a concept called Coelom Theory, to explain the source and development of the [mesoderm](#) [5] in phylogenetic terms. In their *Die Coelomtheorie. Versucheiner Erklärung des mittleren Keimblättes (Coelom Theory: An Attempt to Explain the Middle Germ Layer)* the Hertwig brothers contested homologous relationships between the [germ layers](#) [3] across taxa. Instead, the Hertwigs saw the [germ layers](#) [3], especially the [mesoderm](#) [5], as raw materials that could develop into a variety of organs in response to different conditions of existence.

Germ Layer theory remained influential during the late nineteenth and early twentieth centuries. However, the doctrine was eventually dismantled in the early to mid twentieth century by scientists like [Hans Spemann](#) [28], at the [University of Freiburg](#) [29] in Freiburg, Germany, and his doctoral student Hilde Proescholdt Mangold, as well as by Sven Hörstadius, working at Uppsala University, in Uppsala, Sweden. These researchers showed that the fates of the [germ layers](#) [3] were not absolutely specified and that they varied across species. After such work, scientists increasingly experimented with embryos from different species, and they detailed how the [mesoderm](#) [5] arises from the interactions of [ectoderm](#) [7] and [endoderm](#) [6].

In 1969 Pieter D. Nieuwkoop, Director of the Hubrecht Laboratory in the Royal Netherlands Academy of Arts and Sciences, in Utrecht, Holland, published an article that addressed the question of how [mesoderm](#) [5] develops in vertebrates. Nieuwkoop used the embryos of the [salamander](#) [30] *Ambystoma mexicanum* [31] to test the ability of different parts of the amphibian [egg](#) [32] to differentiate into various types of cells. He separated the sections that would give rise to [ectoderm](#) [7] and [endoderm](#) [6] and allowed them to develop independently; he found that [mesoderm](#) [5] could not form without the interaction of these two tissues. When Nieuwkoop recombined the ectodermal and endodermal regions, the [endoderm](#) [6] induced [mesoderm](#) [5] to form in the adjacent region of the [ectoderm](#) [7]. Using those experiments, Nieuwkoop also demonstrated that the [induction](#) [33] process establishes a [polarity](#) [34] in the [mesoderm](#) [5], such that dorsal [endoderm](#) [6] induces dorsal [mesoderm](#) [5], while ventral [endoderm](#) [6] induces ventral [mesoderm](#) [5].

While Nieuwkoop was able to discern the roles of the [germ layers](#) [3] for the [induction](#) [33] of [mesoderm](#) [5], the signals involved in the genetic activation of the process remained unknown. Beginning in the mid-1980s, scientists started to determine the molecules responsible for mesodermal [induction](#) [33]. They found that at least four families of protein-encoding pathways, or signaling factors, Vg1/Nodal, BMP, Wnt, and FGF, direct the [induction](#) [33] and maintenance of [mesoderm](#) [5] in vertebrates. In 2002 [Eric Davidson](#) [35] and his colleagues at [California Institute of Technology](#) [36] in Pasadena, California outlined the gene network that regulates specification of [mesoderm](#) [5] and [endoderm](#) [6] in the [sea urchin](#) [37], and Davidson further confirmed this network in 2012 with Sagar Damle.

## Sources

1. von Baer, Karl Ernst. *Über Entwicklungsgeschichte der Thiere. Beobachtung und Reflexion* [On the Developmental History of Animals. Observation and Reflection]. Königsberg: Bornträger, 1828.  
<http://babel.hathitrust.org/cgi/pt?id=inu.32000003298751;page=root;view=1up;size=100;seq=7;ori> [38] (Accessed October 3, 2012).
2. Damle, Sagar, and [Eric Davidson](#) [35]. "Synthetic [in vivo](#) [39] Validation of Gene Network Circuitry." *Proceedings of the National Academy of Sciences* [40] 109 (2012): 1548?53.
3. Darwin, Charles. *On the Origin of Species by Means of Natural Selection*. London: Murray, 1859. <http://darwin-online.org.uk/content/frameset?pageseq=1&itemID=F373&viewtype=text> [41] (Accessed November 25, 2013).
4. Davidson, Eric H., Jonathan P. Rast, Paola Oliveri, Andrew Ransick, Cristina Calestani, Chiou-HwaYuh, Takuya Minokawa, Gabriele Amore, Veronica Hinman, César Arenas-Mena, Ochan Otim, C. Titus Brown, Carolina B. Livi, Pei Yun Lee, Roger Revilla, Alistair G. Rust, Zheng jun Pan, Maria J. Schilstra, Peter J. C. Clarke, Maria I. Arnone, Lee Rowen, R. Andrew Cameron, David R. McClay, Leroy Hood, Hamid Bolouri. "A Genomic Regulatory Network for Development." *Science* 295 (2002): 1669?1678.
5. Gilbert, Scott. *Developmental Biology* [42]. Massachusetts: Sinauer, 2006.
6. Haeckel, Ernst. "Die Gastraea-Theorie, die phylogenetische Classification des Thierreichs und die Homologie der Keimblätter" [The Gastraea Theory, the Phylogenetic Classification of the Animal Kingdom and the [Homology](#) [43] of the Germ Layers]. *Jenaische Zeitschrift für Naturwissenschaft* 8 (1874): 1?55.  
<http://www.biodiversitylibrary.org/title/8428#page/11/mode/1up>

[44] (Accessed November 25, 2013).

7. Hall, Brian Keith. "Germ Layers and the Germ Layer Theory Revisited." *Evolutionary Biology* 30 (1997): 121?86.
8. Hall, Brian Keith. "The Neural Crest as a Fourth Germ Layer and [Vertebrates](#) [45] as Quadroblastic not Triploblastic." *Evolution & Development* 2 (2000): 3?5.
9. Hall, Brian Keith. "Balfour, Garstang and de Beer: The First Century of Evolutionary Embryology." *American Zoologist* 40 (2000): 718?28.
10. Hertwig, Oscar, and Richard Hertwig. *Die Coelomtheorie. Versucheiner Erklärung des mittleren Keimblättes* [Coelom Theory: An Attempt to Explain the Middel Germ Layer]. Jena: Fischer, 1881.  
[http://books.google.com/books?id=KOhOAAAAMAAJ&printsec=frontcover&source=gbs\\_ge\\_summ](http://books.google.com/books?id=KOhOAAAAMAAJ&printsec=frontcover&source=gbs_ge_summ)  
[46] (Accessed October 3, 2012).
11. His, Wilhelm. *Untersuchungen über die erste Anlage des Wirbelthierleibes: Die erste Entwicklung des Hühnchens im Ei*. [Studies on the first system of the vertebrate body: The first Development of the [chick](#) [13] in the [egg](#) [32]]. [Leipzig](#) [47]: F.C.W. Vogel, 1868.  
<http://www.biodiversitylibrary.org/ia/untersuchungen1868hisw> [48] (Accessed October 8, 2012).
12. Huxley, Thomas Henry. "On the Anatomy and Affinities of the Family of the Medusae." *Philosophical Transactions of the Royal Society of London* 139 (1849): 413?34.  
<http://rstl.royalsocietypublishing.org/content/139/413.full.pdf+html> [49] (Accessed November 25, 2013).
13. Huxley, Thomas Henry. *A Manual of Anatomy of Vertebrated Animals*. New York: D. Appleton and Company, 1871. <http://dx.doi.org/10.5962/bhl.title.49320> [50] (Accessed October 3, 2012).
14. Kimelman, David, and Christopher Bjornson. "Vertebrate Mesoderm Induction: From Frogs to Mice." In: *Gastrulation: From Cells to Embryo*, ed. Claudio D. Stern. Cold Spring Harbor, NY: [Cold Spring Harbor Laboratory](#) [51] Press: 2004.
15. Kölliker, Albert. "Die Embryonalen Keimblätter und die Gewebe" [The Embryonic Germ Layers and Tissues]. *Zeitschrift für Wissenschaftliche Zoologie* 40 (1884): 179?213.  
[http://books.google.com/books?id=\\_MJVAAAAYAAJ&printsec=frontcover#v=onepage&q&f=false](http://books.google.com/books?id=_MJVAAAAYAAJ&printsec=frontcover#v=onepage&q&f=false)  
[52] (Accessed November 25, 2013).
16. Kovalevsky, Aleksandr. "Entwicklungsgeschichte des *Amphioxus lanceolatus*" [On the Development of *Amphioxus lanceolatus*]. *Memoires de Academie Imperiale des Sciences de St. Petersbourg XI* (1867). Translated and published in *Annals and Magazine of Natural History* 3 (1867): 69?70.  
<http://www.biodiversitylibrary.org/page/22192905#page/83/mode/1up> [53] (Accessed October 3, 2012).
17. Nieuwkoop, Pieter D. "The Formation of the Mesoderm in Urodelean Amphibians. I. Induction by the Endoderm." *Roux?s Archiv [Entwicklungsmechanik](#)* [54] *der Organismen* 160 (1969): 341?73.
18. Oppenheimer, Jane. "The Non-Specificity of the Germ-Layers." *[The Quarterly Review of Biology](#)* [55] 15 (1940): 1?27.
19. Oppenheimer, Jane, and [Viktor Hamburger](#) [56]. "The Non-Specificity of the Germ-Layers." *[The Quarterly Review of Biology](#)* [55] 51 (1976): 96?124
20. Pander, Christian. *Beiträge zur Entwicklungsgeschichte des Hühnchens im Eie* [Contributions to the Developmental History of the Chicken in the Egg]. Würzburg: 1817.  
[http://echo.mpiwg-](http://echo.mpiwg-berlin.mpg.de/ECHOdocuView?mode=imagepath&url=/mpiwg/online/permanent/library/TAQKCW5)  
[berlin.mpg.de/ECHOdocuView?mode=imagepath&url=/mpiwg/online/permanent/library/TAQKCW5](http://echo.mpiwg-berlin.mpg.de/ECHOdocuView?mode=imagepath&url=/mpiwg/online/permanent/library/TAQKCW5)  
[57] (Accessed October 3, 2012).

21. Wilson, Edmund Beecher. "*Amphioxus*, and the Mosaic Theory of Development." *Journal of Morphology* <sup>[58]</sup> 8 (1893): 579-638.

Mesoderm is one of the three germ layers, groups of cells that interact early during the embryonic life of animals and from which organs and tissues form. As organs form, a process called organogenesis, mesoderm interacts with endoderm and ectoderm to give rise to the digestive tract, the heart and skeletal muscles, red blood cells, and the tubules of the kidneys, as well as a type of connective tissue called mesenchyme. All animals that have only one plane of symmetry through the body, called bilateral symmetry, form three germ layers. Animals that have only two germ layers develop open digestive cavities. In contrast, the evolutionary development of the mesoderm allowed in animals the formation of internal organs such as stomachs and intestines (viscera).

## Subject

Mesoderm <sup>[59]</sup> Gastrulation <sup>[60]</sup> Cell differentiation <sup>[61]</sup> Cells <sup>[62]</sup> Tissues <sup>[63]</sup> Embryos <sup>[64]</sup> Embryology <sup>[65]</sup> Anatomy <sup>[66]</sup> Vertebrates <sup>[67]</sup> invertebrates <sup>[68]</sup> Pander, Christian Heinrich, 1794-1865 <sup>[69]</sup> Baer, Karl Ernst von, 1792-1876 <sup>[70]</sup> Huxley, Thomas Henry, 1825-1895 <sup>[71]</sup> Embryological development <sup>[72]</sup> His, Wilhelm, 1831-1904 <sup>[73]</sup> Wilson, Edmund B. (Edmund Beecher), 1856-1939 <sup>[74]</sup> Nieuwkoop, Pieter D. (Pieter Dirk) <sup>[75]</sup> Germ Layers <sup>[76]</sup> Embryonic Structures <sup>[77]</sup>

## Topic

Processes <sup>[78]</sup>

## Publisher

Arizona State University. School of Life Sciences. Center for Biology and Society. Embryo Project Encyclopedia.

## Rights

Copyright Arizona Board of Regents Licensed as Creative Commons Attribution-NonCommercial-Share Alike 3.0 Unported (CC BY-NC-SA 3.0)  
<http://creativecommons.org/licenses/by-nc-sa/3.0/>

## Format

Articles <sup>[79]</sup>

## Last Modified

Wednesday, July 4, 2018 - 04:40

## DC Date Accessioned

Tuesday, November 26, 2013 - 21:37

## DC Date Available

Tuesday, November 26, 2013 - 21:37

## DC Date Created

2013-11-26

- Contact Us

© 2018 Arizona Board of Regents

- The Embryo Project at Arizona State University, 1711 South Rural Road, Tempe  
Arizona 85287, United States

---

**Source URL:** <https://embryo.asu.edu/pages/mesoderm>

### Links:

- [1] <https://embryo.asu.edu/pages/mesoderm>
- [2] <https://embryo.asu.edu/keywords/embryos>
- [3] <https://embryo.asu.edu/search?text=germ%20layers>
- [4] <https://embryo.asu.edu/search?text=organogenesis>
- [5] <https://embryo.asu.edu/search?text=mesoderm>
- [6] <https://embryo.asu.edu/search?text=endoderm>
- [7] <https://embryo.asu.edu/search?text=ectoderm>
- [8] <https://embryo.asu.edu/search?text=mesenchyme>
- [9] <https://embryo.asu.edu/search?text=blastula>
- [10] <https://embryo.asu.edu/search?text=gastrula>
- [11] <http://eol.org/pages/328450/overview>
- [12] <https://embryo.asu.edu/search?text=University%20of%20W%C3%BCrzburg>
- [13] <https://embryo.asu.edu/search?text=chick>
- [14] <https://embryo.asu.edu/search?text=gastrulation>
- [15] <http://eol.org/pages/1049263/overview>
- [16] <https://embryo.asu.edu/search?text=Karl%20Ernst%20von%20Baer>
- [17] <https://embryo.asu.edu/search?text=Thomas%20Henry%20Huxley>
- [18] <https://embryo.asu.edu/search?text=ontogeny>
- [19] <https://embryo.asu.edu/search?text=phylogeny>
- [20] <https://embryo.asu.edu/search?text=developmental%20stages>
- [21] <https://embryo.asu.edu/search?text=evolution>
- [22] <https://embryo.asu.edu/search?text=Charles%20Darwin>
- [23] <https://embryo.asu.edu/search?text=Ernst%20Haeckel>
- [24] <https://embryo.asu.edu/search?text=embryology>
- [25] <https://embryo.asu.edu/search?text=Edmund%20Beecher%20Wilson>
- [26] <https://embryo.asu.edu/search?text=Wilhelm%20His>
- [27] <https://embryo.asu.edu/search?text=Albert%20von%20K%C3%B6lliker>
- [28] <https://embryo.asu.edu/search?text=Hans%20Spemann>
- [29] <https://embryo.asu.edu/search?text=University%20of%20Freiburg>
- [30] <https://embryo.asu.edu/search?text=salamander>
- [31] <http://eol.org/pages/1019571/overview>
- [32] <https://embryo.asu.edu/search?text=egg>
- [33] <https://embryo.asu.edu/search?text=induction>
- [34] <https://embryo.asu.edu/search?text=polarity>

[35] <https://embryo.asu.edu/search?text=Eric%20Davidson>  
[36] <https://embryo.asu.edu/search?text=California%20Institute%20of%20Technology>  
[37] <https://embryo.asu.edu/search?text=sea%20urchin>  
[38] <http://babel.hathitrust.org/cgi/pt?id=inu.32000003298751;page=root;view=1up;size=100;seq=7;orient=0>  
[39] <https://embryo.asu.edu/search?text=in%20vivo>  
[40] <https://embryo.asu.edu/search?text=National%20Academy%20of%20Sciences>  
[41] <http://darwin-online.org.uk/content/frameset?pageseq=1&itemID=F373&viewtype=text>  
[42] <https://embryo.asu.edu/search?text=Developmental%20Biology>  
[43] <https://embryo.asu.edu/search?text=Homology>  
[44] <http://www.biodiversitylibrary.org/title/8428#page/11/mode/1up>  
[45] <https://embryo.asu.edu/search?text=Vertebrates>  
[46] [http://books.google.com/books?id=KOhOAAAAMAAJ&printsec=frontcover&source=gbs\\_ge\\_summary\\_r&](http://books.google.com/books?id=KOhOAAAAMAAJ&printsec=frontcover&source=gbs_ge_summary_r&)  
[47] <https://embryo.asu.edu/search?text=Leipzig>  
[48] <http://www.biodiversitylibrary.org/ia/untersuchungen1868hisw>  
[49] <http://rstl.royalsocietypublishing.org/content/139/413.full.pdf+html>  
[50] <http://dx.doi.org/10.5962/bhl.title.49320>  
[51] <https://embryo.asu.edu/search?text=Cold%20Spring%20Harbor%20Laboratory>  
[52] [http://books.google.com/books?id=\\_MJVAAAAYAAJ&printsec=frontcover#v=onepage&q&f=false](http://books.google.com/books?id=_MJVAAAAYAAJ&printsec=frontcover#v=onepage&q&f=false)  
[53] <http://www.biodiversitylibrary.org/page/22192905#page/83/mode/1up>  
[54] <https://embryo.asu.edu/search?text=Entwicklungsmechanik>  
[55] <https://embryo.asu.edu/search?text=The%20Quarterly%20Review%20of%20Biology>  
[56] <https://embryo.asu.edu/search?text=Viktor%20Hamburger>  
[57] <http://echo.mpiwg-berlin.mpg.de/ECHOdocuView?mode=imagepath&url=/mpiwg/online/permanent/library/TAQKCW5C/pageimg>  
[58] <https://embryo.asu.edu/search?text=Journal%20of%20Morphology>  
[59] <https://embryo.asu.edu/library-congress-subject-headings/mesoderm>  
[60] <https://embryo.asu.edu/library-congress-subject-headings/gastrulation>  
[61] <https://embryo.asu.edu/library-congress-subject-headings/cell-differentiation>  
[62] <https://embryo.asu.edu/library-congress-subject-headings/cells>  
[63] <https://embryo.asu.edu/library-congress-subject-headings/tissues>  
[64] <https://embryo.asu.edu/library-congress-subject-headings/embryos>  
[65] <https://embryo.asu.edu/library-congress-subject-headings/embryology>  
[66] <https://embryo.asu.edu/library-congress-subject-headings/anatomy>  
[67] <https://embryo.asu.edu/library-congress-subject-headings/vertebrates>  
[68] <https://embryo.asu.edu/library-congress-subject-headings/invertebrates>  
[69] <https://embryo.asu.edu/library-congress-subject-headings/pander-christian-heinrich-1794-1865>  
[70] <https://embryo.asu.edu/library-congress-subject-headings/baer-karl-ernst-von-1792-1876-0>  
[71] <https://embryo.asu.edu/library-congress-subject-headings/huxley-thomas-henry-1825-1895>  
[72] <https://embryo.asu.edu/library-congress-subject-headings/embryological-development>  
[73] <https://embryo.asu.edu/library-congress-subject-headings/his-wilhelm-1831-1904>  
[74] <https://embryo.asu.edu/library-congress-subject-headings/wilson-edmund-b-edmund-beecher-1856-1939>  
[75] <https://embryo.asu.edu/library-congress-subject-headings/nieuwkoop-pieter-d-pieter-dirk>  
[76] <https://embryo.asu.edu/medical-subject-headings/germ-layers>  
[77] <https://embryo.asu.edu/medical-subject-headings/embryonic-structures>  
[78] <https://embryo.asu.edu/topics/processes>  
[79] <https://embryo.asu.edu/formats/articles>