Thomas Hunt Morgan's Definition of Regeneration: Morphallaxis and Epimorphosis [1]

By: Sunderland, Mary E. Keywords: Regeneration [2]

For Thomas Hunt Morgan [4] clarity was of utmost importance. He was, therefore, frustrated with the many disparate, disconnected terms that were used to refer to similar, if not the same, regenerative processes within organisms. By 1901, the year his book *Regeneration* [5] appeared, the resulting inconsistencies had made it difficult to discuss results comparatively and a challenge to generalize. Defining terms was a priority for Morgan. He appreciated the diversity of phenomena that had been studied and sought to develop language to facilitate further studies and interpretations.

Next Morgan moved on to quote his German contemporary, Dietrich Barfurth [11], who defined regeneration as the replacement of a whole from a part. Morgan then described how Barfurth further qualified his definition to reflect two different regenerative processes: physiological and pathological regeneration. Physiological regeneration occurred if the part had been removed naturally in the organism's home environment. In contrast, pathological regeneration took place if a part had been removed artificially. To clarify this distinction, Morgan indicated Barfurth had classified regeneration in <a href="https://pygna.com/hydra/rag/hy

Morgan found this description unsatisfactory for a number of reasons. First he pointed out that eggs are able to regenerate and that Barfurth misrepresented the phenomenon by labeling it pathological. He also disapproved of Barfurth's use of the word "replacement," for it deceptively narrowed the scope of what could be counted as regeneration. Furthermore, the part lost was often different than the replacement part. In general, Morgan criticized Barfurth's use of the term "pathological."

Morgan was also unsatisfied with the definition proposed by Hans Driesch [12]. Building on one of the statements Barfurth made about regeneration, Driesch held that like replaces like. According to Morgan, Driesch defined regeneration as the "re-awakening" of earlier developmental processes. Although Morgan did not agree with this definition, he credited Driesch for recognizing the limitations of his definition. Driesch was aware that reconstruction and differentiation [8] also occur during regeneration, but not necessarily during embryonic development and suggested that "regeneration should include only those cases in which a proliferation of new tissue precedes the development of the new part" (Morgan, 1901, 21) and other terms should be used to refer to the rearrangement process that happened in hydra [7], for example. Morgan resisted these Driesch's suggestions, arguing that narrowing the scope of the word "regeneration" did not reflect its history. In addition, he pointed out it would be impossible to distinguish those cases involving proliferation from those that did not.

Next, Morgan addressed a suite of terms: "reparation," "regulation," "restitution," and "selfregulation [13]," all of which had been used to refer to regenerative processes. He described how Driesch used "reparation" to refer to the development of a new hydranth during regeneration in *Tubularia*. Both Roux and Driesch used "regulation" and "restitution" to describe the physiological processes maintaining the "typical form" of an organism. In contrast, they used "self-regulation" to refer only to those internal changes not induced by the environment. Morgan quickly asserted that this definition was not "a very happy one, since all change is ultimately dependent upon a relationship between inside and outside conditions" (Morgan, 1901, 22).

Morgan went on to say that many of the new results needed additional terminology. Morgan accepted the task of introducing new terminology, but before doing so asserted that regeneration, broadly construed, included the replacement of lost parts, the development of a new organism from a smaller piece of an organism, and the regrowth occurring after an egg [10] or embryo is damaged. He emphasized the importance of considering regenerative processes involving the replacement of the same tissue and also those resulting in the growth of something different.

Morgan suggested adopting new terms reflecting the different regenerative processes indicated by Roux: proliferation and rearrangement. These processes often occurred in conjunction but were nevertheless quantitatively distinct. He labeled the first process "epimorphosis" and the second "morphallaxis." Epimorphosis referred to regenerative phenomena in which the development of the new part involved cellular proliferation, such as limb regeneration in salamanders. Morphallaxis referred to those cases in which

1

regeneration resulted from the remodeling of existing material without cellular proliferation, such as regeneration in hydra [7].

Morgan further subdivided regeneration by introducing additional terms indicating the kind of new part resulting from regeneration. "Homomorphosis" described regenerative processes in which the new part was exactly the same as the part that was removed. "Heteromorphosis" described regenerative processes in which the new part was different than the old part, as when axes were sometimes reversed during regeneration. "Neomorphosis" described extreme cases of heteromorphosis in which the new part belonged to a different area of the body. This sort of regeneration was seen in crabs or prawns, which are able to develop an antenna where there once was an eye. "Physiological regeneration" described changes that were part of the organism's life cycle, such as molting, and the replacement of feathers, or teeth. Earlier, Morgan expressed disdain for the term "pathological regeneration," but thought it was nonetheless useful to maintain the category of "physiological regeneration." Yet he recognized there was need to improve upon Barfurth's definition and better elucidate the qualities of physiological regeneration. Morgan illustrated the differences by suggesting that physiological regeneration could also be thought of as "regular regeneration," which in fact was the term he preferred. He only opted to use the term physiological regeneration because it was commonly used. In contrast to regular or physiological regeneration, Morgan suggested the term "restorative regeneration" to distinguish those cases of regeneration resulting from some sort of externally inflicted injury to the organism.

Sources

1. Morgan, Thomas Hunt. Regeneration [5]. New York: Macmillan, 1901.

For Thomas Hunt Morgan clarity was of utmost importance. He was therefore frustrated with the many disparate, disconnected terms that were used to refer to similar, if not the same, regenerative processes within organisms. When Morgan wrote Regeneration in 1901 there had been many different terms developed and adopted by various investigators to describe their observations. As a result there were many inconsistencies making it difficult to discuss results comparatively and also making it more challenging to generalize. Defining terms was a priority for Morgan. He appreciated the diversity of phenomena that had been studied and sought to develop language to facilitate further studies and interpretations.

Subject

Morgan, Thomas Hunt, 1866-1945 [14] Regeneration [15]

Topic

Theories [16]

Publisher

Arizona State University. School of Life Sciences. Center for Biology and Society. Embryo Project Encyclopedia.

Rights

© Arizona Board of Regents Licensed as Creative Commons Attribution-NonCommercial-Share Alike 3.0 Unported (CC BY-NC-SA 3.0) http://creativecommons.org/licenses/by-nc-sa/3.0/

Format

Articles [17]

Last Modified

Wednesday, July 4, 2018 - 04:40

DC Date Accessioned

Thursday, May 10, 2012 - 14:01

DC Date Available

Thursday, May 10, 2012 - 14:01

DC Date Created

2009-06-09

DC Date Created Standard

Tuesday, June 9, 2009 - 07:00

Contact Us

© 2021 Arizona Board of Regents

• The Embryo Project at Arizona State University, 1711 South Rural Road, Tempe Arizona 85287, United States

Source URL: https://embryo.asu.edu/pages/thomas-hunt-morgans-definition-regeneration-morphallaxis-and-epimorphosis

Links

- [1] https://embryo.asu.edu/pages/thomas-hunt-morgans-definition-regeneration-morphallaxis-and-epimorphosis
- [2] https://embryo.asu.edu/keywords/regeneration
- [3] https://embryo.asu.edu/search?

text = Thomas%20 Hunt%20 Morgan%E2%80%99s%20 Definition%20 of %20 Regeneration%3A%20 Morphallaxis%20 and %20 Epimorphosis

- [4] https://embryo.asu.edu/search?text=Thomas%20Hunt%20Morgan
- [5] https://embryo.asu.edu/search?text=Regeneration
- [6] https://embryo.asu.edu/search?text=Wilhelm%20Roux
- [7] https://embryo.asu.edu/search?text=hydra
- [8] https://embryo.asu.edu/search?text=differentiation
- [9] https://embryo.asu.edu/search?text=blastula
- [10] https://embryo.asu.edu/search?text=egg
- [11] https://embryo.asu.edu/search?text=Dietrich%20Barfurth
- [12] https://embryo.asu.edu/search?text=Hans%20Driesch
- [13] https://embryo.asu.edu/search?text=regulation
- [14] https://embryo.asu.edu/library-congress-subject-headings/morgan-thomas-hunt-1866-1945
- [15] https://embryo.asu.edu/medical-subject-headings/regeneration
- [16] https://embryo.asu.edu/topics/theories
- [17] https://embryo.asu.edu/formats/articles